





# TARGET2/T2S CONSOLIDATION




**PROCÉDURE**  
**CONCERNANT LE**  
**PARAMÉTRAGE DES**  
**MESSAGES OPTIONNELS**  
**ET DU ROUTING ASSOCIÉ**



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Quels sont les éléments nécessaires au bon fonctionnement des messages optionnels?



- **PTA Party technical Addresses** : Ce sont les DNS utilisés par le participant direct et le(s) participant(s) multi-adressee. (Les participants adressable passent par le participant direct et n'ont pas de DN propre dans CRDM)
- **TANSL Technical Address Network Service Link** (exemple de Swift comme NSP) : Ce paramétrage associe le PTA aux services réseau utilisés, module par module de Target Services. Il y a 3 services :
  - ✓ **MSGSNF** (Message Store and Forward) : Ce service est utilisé pour tous les messages unitaires financiers ou modifiant les données (ex : modification d'une réservation)
  - ✓ **FILESNF** (Fichier Store and Forward) : Ce service est utilisé pour tous les fichiers financiers (regroupant en un fichier plusieurs messages unitaires) ou modifiant les données. (ex : RTGS Directory).
  - ✓ **MSGRT** (Message Real-Time) : Ce service est utilisé pour toutes les requêtes unitaires d'informations (On peut envoyer des requêtes uniquement de façon unitaire). (ex : Get Account)
- **Messages Subscription** : Ce paramétrage permet de souscrire aux messages optionnels.
- **Routing** : Il permet d'indiquer où envoyer les messages précédemment souscrits.



**COMMENT SOUSCRIRE**  
**AUX MESSAGES**  
**OPTIONNELS DANS**  
**CRDM ?**



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment souscrire aux messages optionnels dans CRDM ?

Connectez vous à CRDM en U2A, puis sélectionnez COMMON > MESSAGES AND REPORTS > Message Subscription Rule Sets > Search

target services

PMBK-A2A-ZYDQFR20BQA | 2022-01-31 15:59:37 | » ? Help | » 🔒 Logout  
Session ID: eyJhbGciOiJIUzI1NiJ9 Business Date: 2022-01-31 Stage: EAC version: 1.3.3

- COMMON
- T2
- T2S
- PARTIES
- CASH
- ACCESS RIGHTS MANAGEMENT
- MESSAGES AND REPORTS
- MARKET SPECIFIC CONFIGURATION
- SERVICES
- NETWORK CONFIGURATION
- SCHEDULING
- GENERAL CONFIGURATION PARAMETERS
- BILLING

- Message Subscription Rule Sets
- + New
- Search
- Report Configurations

WHAT IS CRDM?



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment souscrire aux messages optionnels dans CRDM ?

Sélectionnez New

The screenshot shows the 'MESSAGE SUBSCRIPTION RULE SET LIST' page in the Target Services application. The top navigation bar includes the Target Services logo, user information (PMBK-A2A-ZYDQFR20BQA), session ID, business date, stage, and version. The main navigation menu has 'Common', 'Messages and Reports', and 'Message Subscription Rule Sets' selected. The page contains several filter fields: Status (Active), Service (All), Name (empty), Valid From: from (yyyy-mm-dd), Valid From: to (yyyy-mm-dd), Valid To: from (yyyy-mm-dd), Valid To: to (yyyy-mm-dd), Positive/Negative Parameter Set (All), Interested Party: Parent BIC (Choose BIC), and Interested Party: Party BIC (Choose BIC). Below the filters are 'Search' and 'Reset' buttons, and a green '+ New' button. A table header is visible with columns: Status, Service, Rule..., Name, Valid..., Valid To, Positi..., Creat..., Intere..., Intere... The table body is empty, and the footer indicates 'No Rows To Show'.



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment souscrire aux messages optionnels dans CRDM ?

Les champs à remplir sont :

- **Name** : libre
- **Description** : libre
- **service** : « T2 RTGS COMPONENT » ou « T2 CLM COMPONENT » en fonction du module pour lequel vous souscrivez les messages.
- **Positive/Negative parameter set** : est toujours « positive » pour CLM et RTGS.
- **Valid From** : date de début souhaitée
- **Valid To** : date de fin souhaitée (peut rester vide)
- **Interested Parties** : couple Parent BIC(BDFEFR2TXXX)/Party BIC dans le scope du créateur pour le(s)quel(s) la souscription va s'appliquer.

The screenshot shows the 'Message Subscription Rule Sets' configuration page in the Target Services CRDM. The interface includes a top navigation bar with the Target Services logo and user information (PMBK-A2A-ZYDQFR20BQA, 2022-01-31 16:00:45). The main content area is divided into two columns for form fields:

- Name:** RTGS\_ZYDQFR20BQA
- Description:** RTGS\_ZYDQFR20BQA
- Service:** T2 RTGS COMPONENT
- Valid From:** 2022-02-01
- Valid To:** yyyy-mm-dd
- Positive/Negative parameter set:** Positive
- Creator Parent BIC:** BDFEFR2TXXX
- Creator Party BIC:** ZYDQFR20BQA

Below the form fields is the 'Interested Parties' section, which contains a search bar with 'Parent BIC: BDFEFR2TXXX' and 'Party BIC: ZYDQFR20BQB'. A table below the search bar shows the selected party:

Parent BIC	Party BIC
BDFEFR2TXXX	ZYDQFR20BQA

On the right side of the form, there are three circular buttons: a green '+' button labeled 'Submit', a blue circular arrow button labeled 'Reset', and a grey 'x' button labeled 'Cancel'.



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment souscrire aux messages optionnels dans CRDM ?

Revenez à l'écran COMMON > MESSAGES AND REPORTS > Message Subscription Rule Sets > Search.  
Votre « Message Subscription Rule Sets » est maintenant créé. Sélectionnez le et cliquez sur « Details ».

The screenshot shows the 'Message Subscription Rule Sets' configuration page in the Target Services interface. The page includes a header with user information (PMBK-A2A-ZYDQFR20BQA) and session details (2022-01-31 16:04:12). The breadcrumb trail is: Common > Messages and Reports > Message Subscription Rule Sets > Search. The form contains the following fields:

- Valid From: from (yyyy-mm-dd)
- Valid From: to (yyyy-mm-dd)
- Valid To: from (yyyy-mm-dd)
- Valid To: to (yyyy-mm-dd)
- Positive/Negative Parameter Set: All
- Interested Party: Parent BIC: Choose BIC
- Interested Party: Party BIC: Choose BIC

Below the form is a table with the following columns: Status, Service, Rule ..., Name, Valid ..., Valid To, Positi..., Creat..., Creat..., Inter. The table contains one row of data:

Status	Service	Rule ...	Name	Valid ...	Valid To	Positi...	Creat...	Creat...	Inter
Active	T2 RTGS COMPONENT	300296560	RTGS_ZYDQFR20BQA	2022-02-01	9999-12-31	Positive	BDFEFR2T	ZYDQFR20	BDF

On the right side of the table, there is a sidebar with the following action buttons: Edit, Delete, Restore, Details (highlighted), and Revisions.





# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment souscrire aux messages optionnels dans CRDM ?

Voici le détails du « Message Subscription Rule Set » que vous venez de créer.

Pour ajouter des règles, cliquez sur « Add Rule » en bas à droite.

The screenshot displays the 'MESSAGE SUBSCRIPTION RULE SET DETAILS' page in the Target Services CRDM. The page is divided into several sections:

- Header:** Includes the Target Services logo, user information (PMBK-AZA-ZYDQFR20BQA), session ID, business date, stage, and version.
- Navigation:** Breadcrumbs for 'Common', 'Messages and Reports', 'Message Subscription Rule Sets', and 'Details'.
- Details Section:** A table-like layout showing key information:
  - Status: Active
  - Rule Set Id: 300296560
  - Description: RTGS\_ZYDQFR20BQA
  - Valid From: 2022-02-01
  - Creator Parent BIC: BDFEFR2TXXX
  - Service: T2 RTGS COMPONENT
  - Name: RTGS\_ZYDQFR20BQA
  - Positive/Negative parameter set: Positive
  - Valid To: 9999-12-31
  - Creator Party BIC: ZYDQFR20BQA
- Interested Parties Table:** A table with columns 'Parent BIC' and 'Party BIC'. It contains one row: Parent BIC: BDFEFR2TXXX, Party BIC: ZYDQFR20BQA. Total rows: 1.
- Rules Section:** A table with columns: St..., Seq..., Rule..., Valid Fr..., Valid To..., Rule Boolean Expression. The status is set to 'Active'. The table is currently empty, showing 'No Rows To Show'. Total rows: 0.
- Actions:** On the right side, there are buttons for 'Edit', 'Delete', 'Restore', and 'Revisions' (twice).
- Footer:** At the bottom right, there are buttons for 'Revisions' and '+Add Rule'.



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment souscrire aux messages optionnels dans CRDM ?

### Ajout d'une règle pour les pacs.002

Les champs à remplir sont :

- **Séquence** : numéro au choix
- **Valid From** : date de début souhaitée (peut être différente de la date de début du message subscription rule set)
- **Valid To** : date de fin souhaitée (peut rester vide)

Cliquez ensuite sur « Add Group »

The screenshot displays the 'MESSAGE SUBSCRIPTION RULE NEW' form in the Target Services application. The form is structured as follows:

- Service:** T2 RTGS COMPONENT
- Rule Set Id:** 300296560
- Name:** RTGS\_ZYDQFR20BQA
- Rule Set Valid From:** 2022-02-01
- Rule Set Valid To:** 9999-12-31
- Sequence #:** 1
- Valid From:** 2022-02-01
- Valid To:** yyyy-mm-dd
- Boolean Expression:** (empty)

At the bottom of the form, there is a section titled 'Predicates' with a red horizontal line and a green '+ Add Group' button. Below this section, the text 'OR' is visible.



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment souscrire aux messages optionnels dans CRDM ?

Entrez le nom de votre groupe (libre)  
puis cliquez sur le + en dessous

The screenshot shows the Target Services interface for configuring a message rule. The breadcrumb navigation is: Common > Messages and Reports > MSRS > Search > Details > New Message Rule. The current Boolean Expression is "() as RTGS\_pacs.002". The "Predicates" section contains a single rule: "Group RTGS\_pacs.002" with edit and delete icons. Below this, there is a red text label "Predicates mandatory" and a plus sign icon with a hand cursor pointing to it. At the bottom of the predicate list, the word "AND" is displayed. A "Submit" button is visible on the right side of the interface.





# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment souscrire aux messages optionnels dans CRDM ?

Pour souscrire au pacs.002 :

- choisissez dans le premier menu déroulant « Message Type »
- puis dans le deuxième menu déroulant « pacs.002 »



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment souscrire aux messages optionnels dans CRDM ?

La règle que vous venez de définir est valable pour tous les comptes de toute les Parties enregistrés dans le champs « interested parties » du message subscription rule set.

Cliquez sur « Submit » pour valider la création.

target services

PMBK-A2A-ZYDQFR20BQA | 2022-01-31 16:09:52 | ? Help | Logout  
Session ID: eyJhbGciOiJIUzI1NiJ9 Business Date: 2022-01-31 Stage: EAC version: 1.3.3

Common Messages and Reports MSRS Search Details New Message Rule

Predicates

A Rule must contain at least a Message Type, a Cash Account, a Multi-addressee BIC, a Business Case Code, a Priority, a Underlying Message Type

Group RTGS\_pacs.002 [edit] [delete]

Message Type = pacs.002 [edit] [delete]

+ Add Group

Submit  
Reset  
Cancel

OR



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment souscrire aux messages optionnels dans CRDM ?

La règle que vous venez de créer apparaît maintenant dans le message subscription rule set.

Vous pouvez créer d'autres règles en cliquant sur « Add Rule ».

The screenshot shows the 'MESSAGE SUBSCRIPTION RULE SET DETAILS' page in the Target Services CRDM interface. The page is divided into several sections:

- Metadata:** A table of key-value pairs for the rule set.

Status:	Active	Service:	T2 RTGS COMPONENT
Rule Set Id:	300296560	Name:	RTGS_ZYDQFR20BQA
Description:	RTGS_ZYDQFR20BQA	Positive/Negative parameter set:	Positive
Valid From:	2022-02-01	Valid To:	9999-12-31
Creator Parent BIC:	BDFEFR2TXXX	Creator Party BIC:	ZYDQFR20BQA
- Interested Parties:** A table showing the relationship between the parent and party BICs.

Parent BIC	Party BIC
BDFEFR2TXXX	ZYDQFR20BQA
- Rules:** A table listing the rules within the set.

St...	Seq.	Rule	Valid Fr...	Valid To	Rule Boolean Expression
Active	1	300369584	2022-02-01 00	9999-12-31 00	(Message Type = pacs.002) as RTGS_pacs.002

At the bottom right, there are buttons for 'Revisions' and '+Add Rule'.



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment souscrire aux messages optionnels dans CRDM ?

### Ajout d'une règle pour les camt.054

Les champs à remplir sont :

- **Séquence** : numéro au choix (différent du premier)
- **Valid From** : date de début souhaitée (peut être différente de la date de début du message subscription rule set)
- **Valid To** : date de fin souhaitée (peut rester vide)
- Saisissez le nom de votre groupe
- Cliquez ensuite sur « + »

The screenshot shows the 'New Message Rule' configuration page in the Target Services CRDM. The breadcrumb trail is: Common > Messages and Reports > MSRS > Search > Details > New Message Rule. The user is logged in as PMBK-A2A-ZYDQFR20BQA on 2022-01-31 at 16:12:59. The session ID is eyjhbGciOiJIUzI1NiJ9 and the business date is 2022-01-31. The stage is EAC and the version is 1.3.3.

The form fields are:

- Sequence #: 2
- Valid From: 2022-02-01
- Valid To: yyyy-mm-dd
- Boolean Expression: () as RTGS\_Camt.054\_CashAccount

The 'Predicates' section contains a single predicate: Group RTGS\_Camt.054\_CashAccount. Below the predicate list, there is a red text label 'Predicates mandatory' and a '+' button with a hand cursor. At the bottom of the predicate area, the word 'AND' is displayed.

On the right side of the form, there are three buttons: Submit (a plus sign), Reset (a circular arrow), and Cancel (an X).



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment souscrire aux messages optionnels dans CRDM ?

Pour souscrire au camt.054 uniquement pour le RTGS DCA « RFREURZYDQFR20BQA-BQA » :

- choisissez dans le premier menu déroulant « Message Type »
- puis dans le deuxième menu déroulant « camt.054 »
- Cliquez de nouveau sur « + »
- choisissez dans le premier menu déroulant « Cash Account »
- puis dans le deuxième menu déroulant « RFREURZYDQFR20BQA-BQA »

**Predicate**

Message Type ▼ camt.054 ▼

Cancel Ok

**Predicate**

Choose... ▼ Choose... ▼

Choose...  
Message Type  
Cash Account  
Multi-addressee BIC  
Business Case Code  
Priority  
Underlying Message Type

Cancel Ok

Predicates

must co Account, a Multi-addressee BIC, a Business Case Code, a Priority, a Underlying Message T

**Predicate**

Cash Account ▼ Choose... ▼

Choose...  
RFREURZYDQFR20BQA-BQA  
MFREURZYDQFR20BQA-BQA

Cancel Ok





# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment souscrire aux messages optionnels dans CRDM ?

La règle permet uniquement au RTGS DCA « RFREURZYDQFR20BQA-BQA » de recevoir les camt.054.  
Cliquez sur « Submit » pour valider la création.

target services

PMBK-A2A-ZYDQFR20BQA | 2022-01-31 16:15:33 » ? Help | » Logout  
Session ID: eyJhbGciOiJIUzI1NiJ9 Business Date: 2022-01-31 Stage: EAC version: 1.3.3

Common Messages and Reports MSRS Search Details New Message Rule

Predicates

A Rule must contain at least a Message Type, a Cash Account, a Multi-addressee BIC, a Business Case Code, a Priority, a Underlying Message Type

Group RTGS\_Camt.054\_CashAccount

Cash Account = RFREURZYDQFR20BQA-BQA

Message Type = camt.054

+ Add Group

Submit

Reset

Cancel

AND

OR



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment souscrire aux messages optionnels dans CRDM ?

Les règles que vous venez de créer apparaissent maintenant dans le message subscription rule set.

Vous avez fini la souscription aux messages optionnels.

The screenshot displays the 'MESSAGE SUBSCRIPTION RULE SET DETAILS' page in the Target Services CRDM. The interface includes a breadcrumb trail: Common > Messages and Reports > Message Subscription Rule Sets > Search > Details. The main content area shows the following details:

- Status: Active
- Rule Set Id: 300296560
- Description: RTGS\_ZYDQFR20BQA
- Valid From: 2022-02-01
- Creator Parent BIC: BDFEFR2TXXX
- Service: T2 RTGS COMPONENT
- Name: RTGS\_ZYDQFR20BQA
- Positive/Negative parameter set: Positive
- Valid To: 9999-12-31
- Creator Party BIC: ZYDQFR20BQA

Below the details, there are two sections:

- Interested Parties:** A table with 2 columns: Parent BIC and Party BIC. One row is visible: Parent BIC BDFEFR2TXXX, Party BIC ZYDQFR20BQA. Total rows: 1.
- Rules:** A table with columns: St..., Seq, Rule, Valid Fr..., Valid To, and Rule Boolean Expression. The status is set to 'Active'. Two rules are listed:

St...	Seq	Rule	Valid Fr...	Valid To	Rule Boolean Expression
Active	1	3003695t	2022-02-01 0C	9999-12-31 0C	(Message Type = pacs.002) as RTGS_pacs.002
Active	2	3003695t	2022-02-01 0C	9999-12-31 0C	(Cash Account = RFREURZYDQFR20BQA-BQA and Message Type = camt.054) as f

Total rows: 2.

On the right side of the interface, there are two vertical menus of action buttons: Edit, Delete, Restore, and Revisions. At the bottom right, there are buttons for 'Revisions' and '+Add Rule'.



**COMMENT PARAMÉTRER  
LE ROUTING DANS CRDM ?**



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment paramétrer le routing dans CRDM ?

Sélectionnez COMMON > NETWORK CONFIGURATION > Routing > Search

The screenshot shows the Target Services web interface. At the top, there is a header with the Target Services logo, a user ID (PMBK-A2A-ZYDQFR20BQA), a timestamp (2022-01-31 16:16:51), and links for Help and Logout. Below the header is a navigation menu with a sidebar on the left and a main content area on the right. The sidebar contains a list of menu items: COMMON, T2, T2S, PARTIES, CASH, ACCESS RIGHTS MANAGEMENT, MESSAGES AND REPORTS, MARKET SPECIFIC CONFIGURATION, SERVICES, NETWORK CONFIGURATION, SCHEDULING, GENERAL CONFIGURATION PARAMETERS, and BILLING. The main content area displays 'CRDM U2A' and 'Common Reference Data Management'. A dropdown menu is open under 'NETWORK CONFIGURATION', showing options: DN BIC Routing, Routing, + New, Search (highlighted with a mouse cursor), and BIC Directory. At the bottom left, there is a section titled 'WHAT IS CRDM?' with a sub-heading 'CRDM is a centralized, harmonized reference data management component that will handle in a single point all data that is shared by more than one'.



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment paramétrer le routing dans CRDM ?

Sélectionnez New

The screenshot displays the Target Services CRDM interface. At the top, there is a header with the Target Services logo, a session ID (PMBK-A2A-ZYDQFR20BQA), a timestamp (2022-01-31 16:31:24), and links for Help and Logout. Below the header is a navigation breadcrumb: Common > Network Configuration > Routing > Search. The main content area is titled "ROUTING LIST". It features several filter fields: Status (Active), Network Service (All), Parent BIC (BDFEFR2TXXX), Party BIC (ZYDQFR20BQA), Technical Address (All), and Default Routing (All). There is a "Party" search button. Below the filters are "Search" and "Reset" buttons, and a prominent green "+ New" button with a hand cursor pointing to it. At the bottom, a table header is visible with columns: Status, Par..., BIC, Des..., Net..., Tec..., Def..., Co..., Seq..., Size..., Size..., Curr..., Mes..., and Posi... The table body is empty, displaying "No Rows To Show".



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment paramétrer le routing dans CRDM ?

Les champs à remplir sont :

- **Description** : libre
- **Network Service** : correspond au Technical Address Network Service Link (TANSL) nécessaire pour la réception de vos messages souscrits.
- **Parent BIC** : BIC de la Banque Centrale du partie (BDFEFR2TXXX)
- **Party BIC** : BIC du party
- **Technical Address** : DN sur lequel vous souhaitez recevoir les messages souscrits. Attention : si le TANSL pour le Network Service n'est pas défini pour ce DN, il ne sera pas dans la liste déroulante.
- Sélectionnez « **Default Routing** »
- Puis cliquez sur « **Submit** »

target services

PMBK-A2A-ZYDQFR20BQA | 2022-01-31 16:33:39 | ? Help | Logout  
Session ID: eyJhbGciOiJIUzI1NiJ9 Business Date: 2022-01-31 Stage: EAC version: 1.3.3

Common Network Configuration Routing Search + New

### ROUTING NEW

Description: ZYDQFR20BQA-RTGS-MSGSNF Network Service: T2RTGS.SWIFT.MSGSNF

Parent BIC: BDFEFR2TXXX Party BIC: ZYDQFR20BQA

Technical Address: [ ] Default Routing: [ ]

Compression Flag: [ ] Sequence: [ ]

Size (lower bound): [ ] Size (upper bound): [ ]

Currency: All Message Type: [ ]

Positive:

Submit Reset Cancel



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment paramétrer le routing dans CRDM ?

**Attention :** Pour certains messages notamment les rapports, il est possible de sélectionner une catégorie de message dans « Message Type » et de choisir un DN dans « Technical Address » différent du DN défini pour le « Default Routing ».

Dans ce cas, nous aurons plusieurs routing définis: un général avec le « Default Routing » qui concernera tous les messages sauf ceux faisant l'objet d'un routing spécifique, qui auront un DN de réception différent.

The screenshot displays the 'ROUTING NEW' configuration interface. At the top, there is a navigation bar with 'Common', 'Network Configuration', 'Routing', 'Search', and '+ New'. The main form includes the following fields:

- Description: ZYDQFR20BQA-RTGS-MSGSNF
- Network Service: T2RTGS.SWIFT.MSGSNF
- Parent BIC: BDFEFR2TXXX
- Party BIC: ZYDQFR20BQA
- Technical Address: cn=party-pb,ou=a2a,ou=pilot,ou=e
- Default Routing:
- Compression Flag: [dropdown]
- Sequence: [input]
- Size (lower bound): [input]
- Size (upper bound): [input]
- Currency: All
- Message Type: Choose..
- Positive:

On the right side, there are three buttons: Submit (green with '+'), Reset (blue with '↺'), and Cancel (grey with 'X').



# Procédure concernant le paramétrage des messages optionnels et du routing associé

## Comment paramétrer le routing dans CRDM ?

Revenez à l'écran COMMON > NETWORK CONFIGURATION > Routing > Search.

Votre « Routing » est maintenant créé. Ajoutez autant de « routing » que de « Network Service » nécessaire pour la réception de vos messages.

The screenshot shows the Target Services CRDM interface. At the top, there is a header with the Target Services logo and a user session bar displaying 'PMBK-A2A-ZYDQFR20BQA | 2022-01-31 16:35:11 | ? Help | Logout' and 'Session ID: eyJhbGciOiJIUzI1NiJ9 Business Date: 2022-01-31 Stage: EAC version: 1.3.3'. Below the header is a navigation breadcrumb: 'Common > Network Configuration > Routing > Search'. The main content area is titled 'ROUTING LIST'. It features several filter fields: 'Status' (Active), 'Network Service' (All), 'Parent BIC' (BDFEFR2TXXX), 'Party BIC' (ZYDQFR20BQA), 'Technical Address' (All), and 'Default Routing' (All). There are 'Search' and 'Reset' buttons, and a '+ New' button. A table at the bottom displays the routing list with columns: Status, Parent BIC, BIC, Desc..., Network Service, Technical Address, Def..., and Co... The table contains one row with the following data: Active, BDFEFR2TXXX, ZYDQFR20BQA, ZYDQFR20BQA, T2RTGS.SWIFT.MSGSNF, cn=party-pb,ou=a2a,ou=pilot,ou=esmig,o=bdfefr2t,o=swift, Yes, No Com.

Status	Parent BIC	BIC	Desc...	Network Service	Technical Address	Def...	Co...
Active	BDFEFR2TXXX	ZYDQFR20BQA	ZYDQFR20BQA	T2RTGS.SWIFT.MSGSNF	cn=party-pb,ou=a2a,ou=pilot,ou=esmig,o=bdfefr2t,o=swift	Yes	No Com





# Procédure concernant le paramétrage des messages optionnels et du routing associé

**Vos messages optionnels et votre routing sont maintenant paramétrés.**